



(12) **EUROPEAN PATENT APPLICATION**
published in accordance with Art. 158(3) EPC

(43) Date of publication:
24.08.2005 Bulletin 2005/34

(51) Int Cl.7: **C12N 9/16, C12N 15/55**

(21) Application number: **03754061.4**

(86) International application number:
PCT/JP2003/012982

(22) Date of filing: **09.10.2003**

(87) International publication number:
WO 2004/046350 (03.06.2004 Gazette 2004/23)

(84) Designated Contracting States:
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT RO SE SI SK TR**
Designated Extension States:
AL LT LV MK

(72) Inventors:
• **IMAMURA, Hiromi**
Yokohama-shi, Kanagawa 227-0048 (JP)
• **YOSHIDA, Masasuke**
Fujisawa-shi, Kanagawa 251-0035 (JP)
• **YOKOYAMA, Ken**
Machida-shi, Tokyo 194-0032 (JP)

(30) Priority: **20.11.2002 JP 2002337212**


(71) Applicant: **Japan Science and Technology
Agency**
Saitama 332-0012 (JP)

(74) Representative: **Grant, Anne Rosemary
Frank B. Dehn & Co.**
179 Queen Victoria Street
London EC4V 4EL (GB)

(54) **ROTARY MOTOR MOLECULE V₁-ATPase**

(57) A complex rotating in the presence of ATP, which has three A subunits, three B subunits and one D subunit constituting the V₁ portion of a V₀V₁-ATPase.

Fig.1



Description**Technical Field**

5 **[0001]** The present invention relates to a novel rotary motor molecule Vi-ATPase useful for a nanoactuator of a micromachine or a nanomachine, or the like.

Background Art

10 **[0002]** Attention is being given to the development of a micromachine or a nanomachine that mechanically moves according to the size of a molecule. This is because such micromachine or nanomachine is considered useful for, e. g., a molecule robot that lays out the wiring of a molecule computer or a medical robot that works a cure in the body.

15 **[0003]** For the fabrication of a micromachine and a nanomachine, development of a variety of technologies is required, including individual element devices (a sensor, an actuator and a miniature machine) to processes of assembling them (micromachining and nanomachining). In particular, the development of microactuators and nanoactuators (rotary motors), i.e., micromachine drive devices, is essential for self-regulating movement of machines, and the development of motor devices utilizing diverse precise handling technologies is being pursued. However, even microactuators made by processes to which precise handling technologies are applied are no smaller than about 100 μm . Further miniaturization of motor apparatuses is being required to install them in micromachines and nanomachines.

20 **[0004]** Thus, aside from construction of a motor by precise handling technology, utilization of a single molecule having rotary movement capability as a motor is proposed.

[0005] In general, a molecule capable of being a motor needs to satisfy two factors: having a power mechanism that converts outer energy into rotary movement, and achieving rotation in one direction. Low molecular organic compounds satisfying such conditions that are known include, for example, (3R,3'R)-(P,P)-trans-1,1',2,2',3,3',4,4'-octahydro-3,3'-dimethyl-4,4'-biphenyl hrydiene (Nature 401: 152-155, 1999) and Triptycyl(4)helicene (Nature 401: 150-152, 1999). The former has symmetry to the right and to the left of the carbon-carbon double bond, but has a twisted structure due to steric interlocking. Addition of suitable heat or light thereto makes it possible to rotate the molecule in one direction through four process steps. Also, one cycle is completed through two light reactions and a heat isomerization, with the movement proceeding in one direction only. In other words, this organic compound conducts rotary motion via heat isomerization and light reaction. Rotation via light reaction is very rapid (a level of picoseconds), but rotation via heat isomerization needs a few minutes, and so is unsuitable for actual use. Furthermore, the compound poses the problem that the driving force of rotation is extremely weak. On the other hand, the heat isomerization causes one-direction rotation of the molecule utilizing the chemical reactions of phosgene addition and the formation and cleavage of urethane bonding. However, this molecule is incapable of repeating rotation, a fatal defect for an actuator.

35 **[0006]** On the other hand, as a single molecule motor capable of being utilized in a micromachine, a nanomachine or the like, biomolecules are known that include a flagellum motor (Microbiol. 6: 1-18, 1967, Nature 245: 380-382, 1973), an ATP synthase (Nature 386: 299-302, 1997), a myosin motor (Biochem. Biophys. Res. Comm. 199: 1057-1063, 1994, Curr. Opin. Cell Biol. 7: 89-93, 1995), a microtubule-based motor (Cell 42: 39-50, 1985), a motor protein of nucleic acid synthase (Nature 409: 113-119, 2001), and the like.

40 **[0007]** Of these, an ATP synthase is a membrane protein present ubiquitous, at such locations as the inner membranes of mitochondria in eukaryotes, thylakoid membranes of chloroplasts, a prokaryote cell membrane, and the like, and synthesizes most ATP consumed in cells. An ATP synthase (FoF₁-ATP synthase) is a huge membrane protein complex with molecular weight up to about 500 thousand, and consists of an F₀ portion present inside a membrane and an F₁ portion present outside the membrane. The F₀ portion is a passage for a proton (H⁺) to pass through the membrane, and the F₁ portion is a catalyst portion that synthesizes and hydrolyzes ATP. The molecular weight of the F₁ portion is about 380 thousand, for example, the subunit composition of the F₁ portion in an ATP synthase derived from bacteria is $\alpha_3\beta_3\delta\gamma_1\epsilon_1$. α and β subunits both have a similar ATP binding portion, but catalyst activity is present in the β subunit. Both alternately align to form a ring and in the center of this $\alpha_3\beta_3$ ring, a γ subunit is present. A δ subunit binds to the top of the $\alpha_3\beta_3$ ring; an ϵ subunit that controls ATP hydrolysis activity binds to the γ subunit. On the other hand, the F₀ portion has a molecular weight of about 100 thousands, and the amino acid composition contains in quantity glutamic acid and asparaginic acid, necessary for proton movement. The subunit composition is a₁b₂c₉₋₁₂, "c" subunits are arranged like a ring (the "c" ring) in the membrane, and to the "c" ring are bound subunit "a" and two "b" subunits each having an arm protruding far outside the membrane. Hence, an FoF₁-ATP synthase has an F₁ portion and an F₀ portion which are bound to each other at two sites: $\gamma\epsilon$ -"c" ring and δb_2 . A further characteristic is the fact that this FoF₁-ATP synthase molecule has two kinds of torque generating devices. One is an ATP driving type device present in the F₁ portion and the other is a proton driving type device present in the F₀ portion. That is, when the F₀ portion takes a proton in the cell membrane, the "c" ring rotates clockwise; when the F₀ portion discharges a proton to the outside of the cell membrane, the "c" ring rotates anticlockwise. On the other hand, during ATP synthesis, the

F_1 portion rotates clockwise viewing the γ subunit from the F_0 side, and the F_1 portion rotates anticlockwise during ATP decomposition. By providing these two kinds of torque generating devices, the torque generated by ATP synthase is on the order of tens of piconewton-nm, and thus the synthase has a sufficient driving force for a molecule motor. Additionally, an ATP synthase acts in a water system and so it is most suitable as an actuator working in the body, and

5 also can manipulate a protein, sugar, a lipid, or a nucleic acid in the body because it has sufficient power for moving actin. **[0008]** The inventors of the present invention improved this F_0F_1 -ATP synthase molecule, and have already invented and filed the invention of a modified F_0F_1 -ATP synthase molecule capable of controlling over a wide rotation speed range and its utilization (Japanese Patent Application No. 2002-148232; filing date: May 22, 2002). In addition, recently, reported was a rotary motor molecule, which is made by incorporating a zinc binding site into an F_1 -ATP synthase molecule and which is capable of controlling the initiation and stop of the rotation by means of the zinc (Nature Materials 1: 173-177, 2002).

10 **[0009]** As described above, various rotary motor molecules are proposed as driving members of a micromachine, a nanomachine, and the like, and the molecules each have characteristics regarding type of rotation, the revolution number, torque, the method of controlling rotation, etc. Accordingly, for actual fabrication of a micromachine or a nanomachine, an appropriate molecule needs to be selected from a variety of candidate molecules depending on its application and machine construction. However, it cannot be said that the rotary motor molecules reported thus far can each be suitable for all the different applications and constructions of a micromachine and a nanomachine. For this reason, upon the development of a micromachine or a nanomachine or the like, each addition of one more to the lineup of rotary motor molecules is greatly desired.

15 **[0010]** Thus, this application is intended to provide a novel rotary motor molecule that is different in properties from the conventional rotary motor molecules.

20 **[0011]** In addition, the application also has another subject of providing an improved, novel rotary motor molecule which further smoothens the rotary motion and also adds a means for the molecule to transfer the rotary motion.

25 Disclosure of Invention

[0012] This application, as the invention for solving the above-described problem, provides a rotary motor molecule V_1 -ATPase rotating in the presence of ATP, which is a complex molecule having three A subunits, three B subunits and one D subunit constituting the V_1 portion of a V_0V_1 -ATPase.

30 **[0013]** The V_1 -ATPase of this invention includes the A subunit as a catalyst portion, A and B subunits are arranged alternately, and from a hexamer cylinder like the $\alpha_3\beta_3$ of a V_0V_1 -ATPase. The D subunit is embedded in the central cavity of this A_3B_3 cylinder, an F subunit is bound to the D subunit, and the D and F subunits act as a rotor (rotary shaft, rotary axis).

35 **[0014]** In one mode of this invention, the rotary motor molecule V_1 -ATPase is heat resistant, and in this case it is preferred that the V_1 -ATPase is derived from the thermophile bacteria, *Thermus thermophilus*.

[0015] Further, the rotary motor molecule V_1 -ATPase derived from the thermophile, *Thermus thermophilus* is a complex having three peptides of SEQ ID NO:3 corresponding to the A subunit, three peptides of SEQ ID NO:4 corresponding to the B subunit, and one peptide of SEQ ID NO:5 corresponding to the D subunit is one preferred mode.

40 **[0016]** Furthermore, in another mode of the invention, the rotary motor molecule V_1 -ATPase of the present invention is an improved type molecule which has at least one substitution of Ala residue for the 232nd Ser residue and Ser residue for the 235th Thr residue in SEQ ID NO:3.

45 **[0017]** In this improved V_1 -ATPase, the improvement of the A subunit, the catalyst portion, allows dissolution of MgADP inhibition and acceleration of ATP hydrolysis activity. Rotation of a wild type of V_1 -ATPase tends to be suppressed due to MgADP inhibition, and the modified V_1 -ATPase that prevents MgADP inhibition exhibits efficient rotational motion.

[0018] Furthermore, a further mode of the present invention is that the rotary motor molecule V_1 -ATPase is an improved molecule in which one or both of the A and B subunits is fixed on a substrate. In this case, a preferred mode is that the molecule is fixed on the substrate via an His tag bound to the N terminal of the A subunit.

50 **[0019]** In a still another mode of the invention, the rotary motor molecule V_1 -ATPase has a joint bound to the D subunit. In this case, the joint material is bound to at least one of Cys residue substituted for the 48th Glu residue and Cys residue substituted for the 55th Gln residue in SEQ ID NO:5, and the case where all the Cys residues in the A and B subunits are replaced by non-Cys residues is another preferred mode.

55 **[0020]** That is, the rotary motor molecule V_1 -ATPase of the present invention comprises the V_1 portion (a complex comprised of three A subunits, three B subunits, one D subunit) of V type (tonoplast type) ATPase (V_0V_1 -ATPase) present in organelles (vacuole, lysosome, Golgi vesicle, cell membrane, coated vesicle, secretory granule, etc) of a bacterium or a eukaryote. Although a V_0V_1 -ATPase synthase has already known to serve as a rotary motor molecule, the V_1 portion (V_1 -ATPase) of this V_0V_1 -ATPase was not known to have rotational motion at all. The V_1 -ATPase of this invention has been completed by for the first time finding that the D subunit located inside a "cylindrical body" comprised

of three A subunits and three B subunits a D subunit functions as a rotary shaft.

[0021] In addition, the V_1 portion of a V_0V_1 -ATPase has one F subunit bound to the D subunit, but the V_1 -ATPase of this invention also includes a molecule that binds this F subunit. Also, examples of V_1 -ATPases of this invention include not only a wild type, but also a variety of variants as described above. Furthermore, the examples include a variant into which a zinc recognizing portion is incorporated, as disclosed in Nature Materials 1: 173-177, 2002 as noted above.

[0022] Hereinafter, each invention as described above will be set forth in detail with embodiments of the invention. For the embodiments, a variety of arts used in order to carry out this invention, exclusive of the arts particularly indicating the sources thereof, can be readily and surely carried out by a person skilled in the art in accordance with literatures or the like. For instance, descriptions of genetic engineering and molecular biological technology, such as Sambrook and Maniatis, in Molecular Cloning-A Laboratory Manual, Cold Spring Harbor Laboratory Press, New York, 1989; and Ausubel, F. M. et al., Current John Wiley & Sons, New York, N. Y. Protocols in Molecular Biology, 1995 can be used for reference.

Brief Description of Drawings

[0023]

Figure 1 is a schematic diagram indicating the observed rotation of V_1 -ATPase. The arrow indicates the direction of rotation.

Figure 2 is the result of western blotting analysis that has confirmed the biotinylation of a D or an F subunit. The left side (lanes 1 to 4) is obtained by CBB staining and the right side (lanes 5 to 8) is obtained by alkaline phosphatase-streptavidine conjugate staining. Lanes 1 and 5 indicate V_1 -ATPase in which the D subunit was biotinylated, lanes 2 and 6 indicate V_1 -ATPase with a biotinylated F subunit, lanes 3 and 7 indicate un-biotinylated V_1 -ATPase, and lanes 4 and 8 indicate molecular-weight markers.

Figure 3 shows the measurements of rotation of the beads fixed on D subunits over time. "A" shows the rotation of bead in the presence of 4 mM ATP and 0.5 mM sodium azide. "B" to "D" show the results of rotations of beads in the absence of sodium azide, where "B" is 4 mM ATP solution, "C" is 0.5 mM ATP solution, and "D" is 0.2 mM ATP solution.

Figure 4 indicates the measurements of rotation of bead fixed on an F subunit in 4mM ATP solution.

Best Mode for Carrying Out the Invention

[0024] The rotary motor molecule V_1 -ATPase of this invention is the V_1 (V_1 -ATPase) portion of V_0V_1 -ATPase produced from various bacteria or eukaryotes. The V_1 -ATPase can be produced by genetic engineering using a polynucleotide (DNA fragment, RNA fragment, or preferably cDNA fragment. Hereinafter, it may be denoted as " V_1 -ATPase polynucleotide") encoding the V_1 -ATPase. Namely, sequences of the polynucleotide (cDNA fragment) encoding the V_0V_1 -ATPase are disclosed in many data bases (e.g., GenBank data base: URL: <http://www.ncbi.nlm.nih.gov>), and using the sequence information in a probe hybridization process or a PCR process, the polynucleotide (cDNA fragment) encoding the V_0V_1 -ATPase can be readily obtained from existent cDNA libraries, or the like.

[0025] Expression of this V_1 -ATPase polynucleotide using a well-known genetic engineering process can provide a complex V_1 -ATPase comprised of three A subunits, three B subunits and one D subunit. For instance, the recombination of a V_1 -ATPase polynucleotide into an expression vector having an RNA polymerase promoter and then addition of this recombinant vector into an in vitro translation system including RNA polymerase corresponding to the promoter, such as rabbit reticulocyte lysate or a wheat embryo extract, can produce the V_1 -ATPase having rotation capability in *vitro*. Examples of the RNA polymerase promoter can include T7, T3, and SP6. Examples of vectors containing these RNA polymerase promoters include pKA1, pCDM8, pT3/T7 18, pT7/3 19, and pBluescript II. Also, the expression of a V_1 -ATPase polynucleotide in a suitable host-vector system can produce the rotary motor molecule V_1 -ATPase in a prokaryotic cell such as *E. coli.*, or hay bacillus, a eukaryotic cell such as yeast, an insect cell, a mammal cell, or plant cell, or the like. For example, when the V_1 -ATPase is expressed in a microorganism such as *E. coli.*, the polynucleotide is recombined into an expression vector having an origin replicable in the microorganism, a promoter, a ribosome binding portion, a DNA cloning portion, a terminator and the like, to prepare an expression vector which transforms the host cell. Culturing this transformant can produce the target V_1 -ATPase molecules from the culture in quantity. Examples of expression vector for *E. coli* include pUC system, pBluescript II, pET expression system, and pGEX expression system. Furthermore, when the polynucleotide is to be expressed in a eukaryotic cell, the polynucleotide

is inserted into an expression vector for a eukaryotic cell, the vector having a promoter, a splicing region, poly(A) addition portion and the like, resulting in a recombinant vector. From eukaryotic cells transfected with this vector can be obtained the target V_1 -ATPase molecules. Examples of the expression vector include pKA1, pCDM8, pSVK3, pMSG, pSVL, pBK-CMV, pBK-RSV, EBV vector, pRS, and pYES2. Eukaryotic cells that can be used include mammal culture cells such as human embryo renal cell line HEK293, monkey renal cell line COS7, Chinese hamster ovarian cell line CHO, or primary culture cells isolated from human organ, and the like. The eukaryotic cells that can be used also include budding yeast, fission yeast, silkworm cells, and *Xenopus* egg cells. For the expression vector to be transfected into eukaryotic cells, a known method such as electroporation, calcium phosphate method, ribosome method, DEAE dextran method, and the like may be used. For isolation and purification of the V_1 -ATPase expressed from the transformant cells, well known separation operations can be carried out in combination. Examples of the isolation and purification include treatment with a modifying agent such as urea or with a surfactant, ultrasonic treatment, enzyme digestion, salting out or the solvent precipitation method, dialysis, centrifugation, ultrafiltration, gel filtration, SDS-PAGE, isoelectric focusing electrophoresis, ion exchange chromatography, hydrophobic chromatography, affinity chromatography, reversed phase chromatography, and the like.

[0026] Also, the rotary motor molecule V_1 -ATPase of this invention is preferably a heat resisting molecule for the sake of industrial utilization. Hence, preferably, a V_1 -ATPase polynucleotide is derived from a bacterium of *Thermus* genus, *Methanococcus* genus, *Sulfolobus* genus, or the like, which grows at 65°C or more. Further, use of a V_1 -ATPase polynucleotide derived from the thermophile *Thermus thermophilus*, which is capable of growing even at 70°C or more is particularly preferable. The V_1 -ATPase polynucleotide derived from *Thermus thermophilus* has the base sequence of SEQ ID NO: 1. The V_1 -ATPase polynucleotide derived from *Thermus thermophilus* encodes a complex of the polypeptide (F subunit) consisting of the amino acid sequence of SEQ ID NO:2, the polypeptide (A subunit) of SEQ ID NO:3, the polypeptide (B subunit) of SEQ ID NO:4, and the polypeptide (D subunit) of SEQ ID NO:5. Therefore, expressing the 334-4196 nt sequence of SEQ ID NO:1 by means of the aforementioned genetic engineering technology can give a heat resisting V_1 -ATPase comprising of three A subunits, three B subunits and one D subunit. In addition, expressing the 1-4196 nt sequence of SEQ ID NO:1 can provide a heat resisting V_1 -ATPase having one F subunit bound to the D subunit thereof.

[0027] A still another preferred mode of the rotary motor molecule V_1 -ATPase of this invention has substitution of Ala residue for the 232nd Ser residue or substitution of Ser residue for the 235th Thr residue, or both, in SEQ ID NO: 3, and a particularly preferred mode is the improved molecule having both substitutions (hereinafter, a molecule having both substitutions may be denoted as a "TSSA variant"). In other words, in contrast to a V_1 -ATPase of a eukaryotic cell, the reaction of the V_1 -ATPase derived from a bacterium such as *T. thermophilus* has a tendency to be interrupted during the metabolic turnover of the catalyst due to the so-called MgADP inhibition (J Biol Chem 273, 20504-20510, 1998). Normally, this ADP restriction appears within 5 minutes after ATP has been added as a substrate, and in about 10 minutes the V_1 -ATPase stops ATP hydrolysis. Thus, the inventors of this application have prepared some variants and studied the ADP restriction effects. As a result, the inventors have found that the aforementioned TSSA variant continues ATP activity even for one hour after the addition of ATP as a substrate.

[0028] Still another preferred mode of the rotary motor molecule V_1 -ATPase of this invention is a modified molecule where either the A or B subunit or both is fixed on a substrate. The reason is that this fixation makes it possible to efficiently transmit the rotation of the D subunit. Binding of A and/or B subunit like this on a substrate can be carried out by a variety of methods, for example using covalent bonding, but preferably a method is employed involving bonding His (histidine) tag to the N terminal of A subunit and then bonding this His tag to Ni-NTA slide (Nature 386: 299-302, 1997; FEBS Letters 470: 244-248, 2000).

[0029] In another preferred mode of the rotary motor molecule V_1 -ATPase of this invention, the D subunit is bound to a joint material. The term "joint material" in this case means a material for transmitting the rotational motion of the D subunit of the V_1 -ATPase to another component (e.g., a gear or a shaft of a motion engine, or the like). Also, this joint material is not for connection to another component, but can also be utilized as a "probe" or a "propeller" for observing the rotation of the V_1 -ATPase. Examples of joint materials that can be utilized include a plurality of previously mentioned beads (microspheres) that are connected as seen in Embodiments described below, and a fine fiber such as actin filament (Nature 386: 299-302, 1997). This joint material can be bonded to Cys residue of the D subunit, for example, by maleimide or disulfide bonding or the like. However, the D subunit of the V_1 -ATPase derived from *Thermus thermophilus*, the amino sequence of which was indicated in SEQ ID NO:5, does not have Cys residues, and thus a suitable non-Cys residue needs to be replaced by Cys residue. For this reason, in this invention, a joint material is preferably bound to Cys residue substituted for the 48th Glu residue or Cys residue substituted for the 55th Gln residue (preferably both) in SEQ ID NO:5. In addition, Cys residues other than those in D subunit (a total of nine Cys residues in A subunit, three Cys residues in B subunit) are preferably replaced by other residues (e.g., Ser residues) so that these Cys residues are not bound to the joint material.

[0030] Alternatively, a joint material can be made not to bind to D subunit, but to F subunit which binds to D subunit. In this case, for example, the 28th Ser and/or the 35th Ser residue is replaced by Cys residue in the amino acid of

SEQ ID NO:2, and to these Cys residues can be bound a joint material.

[0031] Furthermore, each of the above-described V_1 -ATPases can be obtained by replacing a triplet encoding the specified amino residue in a V_1 -ATPase polynucleotide by means of a method using a mutation kit or the like, the mutagenesis PCR, or a polynucleotide synthesizing method (e.g., Nucleic Acid Res. 25: 3440-3444, 1997), and then

expressing this mutated polynucleotide by a genetic engineering process.

[0032] Hereinafter, the present invention will be described in terms of Examples in more detail and specifically; however, the invention is by no means limited by the Examples below.

Examples

1. Material and Method

1-1. Preparation of Proteins

[0033] The V_1 -ATPase was expressed through the use of E. Coli BL21-CodonPlus-RP (Stragene) transformed with the plasmid pUCV1 that possessing the DNA sequences encoding each of the A, B, D, and F subunits of the V_1 -ATPase derived from *T. thermophilus* HB8 under the control of *lac* promoter. Also, the DNA sequences encoding each of the A, B, D, and F subunits were modified to prepare the following variants (the amino acid positions correspond to SEQ ID NOS:2 to 5).

I: V_1 -ATPase (A-His8-tags/ Δ Cys/A-S232A/A-T235S/D-E48C/D-Q55C)

- (1) Binding a His tag to the N terminal of the A subunit (A-His8-tags)
- (2) Substituting Ser residues for all the Cys residues of the A and B subunits (Δ Cys)
- (3) Substituting Ala for the 232nd Ser of the A subunit (A-S232A)
- (4) Substituting Ser for the 235th Thr of the A subunit (A-T235S)
- (5) Substituting Cys for the 48th Glu of the D subunit (D-E48C)
- (6) Substituting Cys for the 55th Gln of the D subunit (D-Q55C)

II: V_1 -ATPase (A-His8-tags/ Δ Cys/A-S232A/A-T235S/F-S28C/F-S35C)

- (1) Binding a His tag to the N terminal of the A subunit (A-His8-tags)
- (2) Substituting Ser residues for all the Cys residues of the A and B subunits (Δ Cys)
- (3) Substituting Ala for the 232nd Ser of the A subunit (A-S232A)
- (4) Substituting Ser for the 235th Thr of the A subunit (A-T235S)
- (7) Substituting Cys for the 28th Ser of the F subunit (S28C)
- (8) Substituting Cys for the 35th Ser of the F subunit (S35C)

[0034] After transformed cells were suspended in 20 mM imidazole/HCl (pH 8.0) containing 0.3 M NaCl, and after the resulting suspension was heated at 65°C for 30 minutes, the proteins unstable under heat were removed, and then the resulting material was placed into a Ni^{2+} -affinity column (Amersham) and eluted with 0.5 M imidazole/HCl (pH 8.0) containing 0.3 M NaCl. To the eluate was added a buffer, and this mixture was given ultrafiltration (VIVA-Spin, VIVA science) and was subsequently put into a RESOURCE Q column. The portion containing a V_1 -ATPase was placed into Superdex 200 column (Amersham) and there the contamination-relating proteins were removed. The purified V_1 -ATPase was subjected to biotinylation with more than two moles of 6-[N'-[2-(N-maleimido)ethyl]-N-piperazinylamido]hexyl D-biotinamide (biotin-PEAC₅-malaimide, Dojindo). The resulting substance was incubated at 25°C for 15 minutes and then the protein was placed into a PD-10 Column (Amersham) where the unreacted reagents were removed. Biotinylation of the D and F subunits was confirmed by the western blotting technique using streptavidin-alkaline phosphatase conjugate (Amersham) (Figure 2).

1-2 Rotation Observation

[0035] Flow cell of 5 μ l was fabricated from two cover slips (a spacer with a thickness of 50 nm between them). The bottom glass surface was coated with Ni^{2+} -nitrilotriacetic acid, and the biotinylated V_1 -ATPase (0.1-1 μ M) contained in the A solution composed of a buffer (50 mM Tris-HCl, pH 8.0, 100 mM KCl, 5 mM $MgCl_2$) and 0.5% (w/v) BSA was poured into the flow cell, and His tags were bound to the glass, thereby fixing the V_1 -ATPase.

[0036] The flow cell was filled with solution of beads ($\phi = 0.56 \mu m$, Bangs Laboratories inc.) coated with 0.1% (w/v) Streptavidin, binding some beads to the D or F subunit by biotin-streptavidine bonding. The unbound beads were

removed by washing.

[0037] With the rotation of the V_1 -ATPase molecule, the rotation of a bead was in ATP of specified concentration (0.2 mg/ml creatine kinase and 2.5 mM creatine phosphate ATP in the regenerating system) observed under a bright field microscope (IX70, Olympus, magnifying power 1000). Also, the state of rotation was recorded with a CCD camera. This V_1 -ATPase rotation observation system is similar to F_1 -ATPase rotation system (Proc Natl Acad Sci USA 98, 13649-54, 2001). Specifically, rotation about a slanted bonding, due to the beads being bound to the D or F subunit, was observed (Figure 2).

1-3. Other Assays

[0038] The protein concentrations were determined by UV measurement. The ATP hydrolytic activity was determined from the oxidation of NADH which couples pyruvate kinase and lactate dehydrogenase.

2. Results

2-1. Observation of Rotation

[0039] The two variants; the V_1 -ATPase (A-His8-tags/ Δ Cys/A-S232A/ A-T235S/D-E48C/D-Q55C) and the V_1 -ATPase (A-His8-tags/ Δ Cys/A-S232A/A-T235S/F-S28C/F-S35C) were observed for the rotation thereof. The two variants showed kinetics that follow the Michaelis Menten equation, with the two variants having K_m of 0.3 to 0.5 mM and V_{max} (turnover rate) of about 10 sec^{-1} . These values are almost the same as those of the wild type F_0F_1 -ATP synthase (J Biol Chem 273, 20504-1014, 1998).

2-2. Rotation of D Subunit

[0040] When a buffer containing ATP was poured into flow cell, the rotation of a bead bound to D subunit of the V_1 -ATPase was observed (Figures 3A to 3D). In flow cell, rotations of 5 to 10 beads were observed.

[0041] The rotation was in one direction, in the case of F_1 -ATPase the rotation always counterclockwise viewed from the cell membrane side. In a buffer not containing ATP, one-direction rotation distinguishable from Brownian motion was not observed.

[0042] An azide is known to inhibit both ATPase activity and rotation of the F_1 -ATPase (Nature 386, 299-302, 1997), but not to inhibit the ATPase activity of a V_1 -ATPase (J Biol Chem 265, 21946-50, 1990). The rotation of a variant V_1 -ATPase is the same as the above. This is because an azide did not affect the rotation of a V_1 -ATPase in the presence of 4 mM ATP (Figure 3A and 3B) or in the presence of 0.1 mM ATP.

[0043] The average number of revolutions in the presence of 4 mM ATP was about 2.6 rps (revolutions per sec) or fewer. The average number of revolutions in the presence of 1 mM ATP was about 2.4 rps or fewer. Assuming that one revolution consumes three molecules of ATP, the revolution speed is in good agreement with the ATP hydrolysis speed observed in the bulk enzyme reaction theory (hydrolysis of about 10 ATPs per sec). Also, at 0.5 mM ATP the average number of revolutions is decreased to about 2.2 rps (Figure 3C).

2-3. Rotation of F Subunit

[0044] The rotation of a bead bound to F subunit was observed as well. Under a condition of 4 mM ATP concentration, 1 to 3 rotating beads were observed (Figure 4). The rotation direction was always counterclockwise. The revolution speed was about 2.5 rps, which was almost the same as the revolution speed of the bead on D subunit.

Industrial Applicability

[0045] As described in detail thus far, the invention of this filing provides V_1 -ATPase as a novel rotary motor molecule. In addition, a variety of variant V_1 -ATPases are provided which are more practical forms of this rotary motor molecule V_1 -ATPase. These will greatly contribute to the fabrication of a micromachine, a nanomachine, and the like.

SEQUENCE LISTING

5

<110> Japan Science and Technology Corporation

<120> A Rotary Motor molecule V1-ATPase

10

<130> 03F044PCT

<140> JP2002-337212

15

<141> 2002-11-20

<150> PCT/JP2003/012983

<151> 2003-10-09

20

<160> 5

<170> PatentIn Ver. 2.1

25

<210> 1

<211> 4199

<212> DNA

30

<213> Thermus thermophilus

<220>

<221> CDS

35

<222> (1).. (318)

<220>

<221> CDS

40

<222> (334).. (2067)

<220>

<221> CDS

45

<222> (2081).. (3514)

<220>

<221> CDS

50

<222> (3528).. (4196)

<400> 1

gtg agg atg gcg gtg atc gcc gat ccc gag acc gcc cag ggg ttc cgg 48
Val Arg Met Ala Val Ile Ala Asp Pro Glu Thr Ala Gln Gly Phe Arg

55

1 5 10 15

EP 1 566 435 A1

5 ctc gcg ggc ctc gag ggc tac ggg gcc tct tcg gcg gag gag gcc caa 96
 Leu Ala Gly Leu Glu Gly Tyr Gly Ala Ser Ser Ala Glu Glu Ala Gln
 20 25 30

10 agc ctc ctg gaa acc ctc gtg gag cgg ggc ggc tac gcc ctg gtg gcc 144
 Ser Leu Leu Glu Thr Leu Val Glu Arg Gly Gly Tyr Ala Leu Val Ala
 35 40 45

15 gtg gac gag gcg ctc ctc ccc gac ccc gag cgg gcg gtg gag cgc ctc 192
 Val Asp Glu Ala Leu Leu Pro Asp Pro Glu Arg Ala Val Glu Arg Leu
 50 55 60

20 atg cgg ggc agg gac ctc ccc gtg ctc ctg ccc atc gcg ggg ctg aag 240
 Met Arg Gly Arg Asp Leu Pro Val Leu Leu Pro Ile Ala Gly Leu Lys
 65 70 75 80

25 gag gcc ttc cag ggg cac gac gtg gaa ggc tac atg cgg gag ctg gtg 288
 Glu Ala Phe Gln Gly His Asp Val Glu Gly Tyr Met Arg Glu Leu Val
 85 90 95

30 agg aag acc atc ggc ttt gac atc aag ctg tagaatggag ggacg atg atc 339
 Arg Lys Thr Ile Gly Phe Asp Ile Lys Leu Met Ile
 100 105

35 caa ggg gtg atc cag aag atc gcg ggc cgg gcg gtg atc gcc aag ggc 387
 Gln Gly Val Ile Gln Lys Ile Ala Gly Pro Ala Val Ile Ala Lys Gly
 110 115 120

40 atg ctc ggg gcc cgc atg tac gac atc tgc aag gtg ggc gaa gag ggc 435
 Met Leu Gly Ala Arg Met Tyr Asp Ile Cys Lys Val Gly Glu Glu Gly
 125 130 135 140

45 ctc gtg ggc gag atc atc cgc ctg gac ggg gac acg gcc ttc gtc cag 483
 Leu Val Gly Glu Ile Ile Arg Leu Asp Gly Asp Thr Ala Phe Val Gln
 145 150 155

50 gtc tac gag gac acc tcg ggc cta aag gtg ggg gag ccc gtg gtc tcc 531
 Val Tyr Glu Asp Thr Ser Gly Leu Lys Val Gly Glu Pro Val Val Ser
 160 165 170

55 acg ggg ctt ccc ttg gcg gtg gag ctc ggc ccc ggg atg ctg aac ggc 579
 Thr Gly Leu Pro Leu Ala Val Glu Leu Gly Pro Gly Met Leu Asn Gly

EP 1 566 435 A1

	175	180	185	
5	atc tac gac ggc atc cag cgc ccc ctg gag cgc atc cgg gag aag acg			627
	Ile Tyr Asp Gly Ile Gln Arg Pro Leu Glu Arg Ile Arg Glu Lys Thr			
	190	195	200	
10	ggg atc tac atc acc cgg ggc gtg gtg gtc cac gcc ctg gac cgg gag			675
	Gly Ile Tyr Ile Thr Arg Gly Val Val Val His Ala Leu Asp Arg Glu			
	205	210	215	220
15	aag aag tgg gcc tgg acg ccc atg gtc aag ccc ggg gac gag gtg cgg			723
	Lys Lys Trp Ala Trp Thr Pro Met Val Lys Pro Gly Asp Glu Val Arg			
		225	230	235
20	ggg ggt atg gtc ctg ggc acg gtg ccc gag ttc ggc ttc acc cac aag			771
	Gly Gly Met Val Leu Gly Thr Val Pro Glu Phe Gly Phe Thr His Lys			
		240	245	250
25	atc ctg gta ccc ccg gac gtg cgg ggc cgg gtc aag gag gtg aag ccc			819
	Ile Leu Val Pro Pro Asp Val Arg Gly Arg Val Lys Glu Val Lys Pro			
		255	260	265
30	gcc ggg gag tac acc gtg gag gag ccg gtg gtg gtc ctc gag gac ggc			867
	Ala Gly Glu Tyr Thr Val Glu Glu Pro Val Val Val Leu Glu Asp Gly			
		270	275	280
35	acc gag ctc aag atg tac cac acc tgg ccc gtt cgc cgg gcg agg ccc			915
	Thr Glu Leu Lys Met Tyr His Thr Trp Pro Val Arg Arg Ala Arg Pro			
		285	290	295
40	gtg caa agg aag ctt gac ccc aac acc ccc ttc ctc acg ggg atg cgc			963
	Val Gln Arg Lys Leu Asp Pro Asn Thr Pro Phe Leu Thr Gly Met Arg			
		305	310	315
45	atc ctg gac gtc ctc ttc ccc gtg gcc atg ggg ggc acc gcc gcc atc			1011
	Ile Leu Asp Val Leu Phe Pro Val Ala Met Gly Gly Thr Ala Ala Ile			
		320	325	330
50	cct ggg ccc ttc ggc agc ggc aag acc gtg acc cag cag tcc ctg gcc			1059
	Pro Gly Pro Phe Gly Ser Gly Lys Thr Val Thr Gln Gln Ser Leu Ala			
		335	340	345
55	aag tgg tcc aac gcc gac gtg gtg gtc tac gtg ggc tgc ggg gag cgg			1107

EP 1 566 435 A1

5	Lys Trp Ser Asn Ala Asp Val Val Val Tyr Val Gly Cys Gly Glu Arg	
	350	355
		360
10	ggg aac gag atg acc gac gtg ctc gtg gag ttc ccc gag ctc acc gac	1155
	Gly Asn Glu Met Thr Asp Val Leu Val Glu Phe Pro Glu Leu Thr Asp	
	365	370
		375
		380
15	ccc aag acg ggg ggg ccc ttg atg cac cgc acc gtc ctc atc gcc aac	1203
	Pro Lys Thr Gly Gly Pro Leu Met His Arg Thr Val Leu Ile Ala Asn	
		385
		390
		395
20	acc tcc aac atg ccc gtg gcc gcc cgc gag gcc agc atc tac gtg ggc	1251
	Thr Ser Asn Met Pro Val Ala Ala Arg Glu Ala Ser Ile Tyr Val Gly	
		400
		405
		410
25	gtg acc atc gcc gag tac ttc cgc gac cag ggc ttc tcc gtg gcc ctc	1299
	Val Thr Ile Ala Glu Tyr Phe Arg Asp Gln Gly Phe Ser Val Ala Leu	
		415
		420
		425
30	atg gcc gac tcc acg agc cgc tgg gcc gag gct ttg cgc gag atc tct	1347
	Met Ala Asp Ser Thr Ser Arg Trp Ala Glu Ala Leu Arg Glu Ile Ser	
		430
		435
		440
35	agc cgc ctc gag gag atg ccc gcc gag gag ggc tac ccg ccc tac ctc	1395
	Ser Arg Leu Glu Glu Met Pro Ala Glu Glu Gly Tyr Pro Pro Tyr Leu	
		445
		450
		455
		460
40	gcc gcc agg ctc gcc gcc ttc tac gag cgg gcg ggc aag gtc atc acc	1443
	Ala Ala Arg Leu Ala Ala Phe Tyr Glu Arg Ala Gly Lys Val Ile Thr	
		465
		470
		475
45	ctg ggc ggc gag gag ggg gcg gtg acc atc gtg ggg gcc gtc tcc ccg	1491
	Leu Gly Gly Glu Glu Gly Ala Val Thr Ile Val Gly Ala Val Ser Pro	
		480
		485
		490
50	ccg ggc ggc gac atg tcc gag ccc gtg acc cag tcc acc ttg agg atc	1539
	Pro Gly Gly Asp Met Ser Glu Pro Val Thr Gln Ser Thr Leu Arg Ile	
		495
		500
		505
55	gtg ggg gcc ttc tgg cgg ctt gac gcc tcc ctg gcc ttc cgc cgc cac	1587
	Val Gly Ala Phe Trp Arg Leu Asp Ala Ser Leu Ala Phe Arg Arg His	
		510
		515
		520

EP 1 566 435 A1

5 ttc ccc gcc atc aac tgg aac ggc tcc tac agc ctc ttc acc tcc gcc 1635
 Phe Pro Ala Ile Asn Trp Asn Gly Ser Tyr Ser Leu Phe Thr Ser Ala
 525 530 535 540

10 ctt gac ccc tgg tac cgg gag aac gtg gcc gag gac tac ccc gag ctc 1683
 Leu Asp Pro Trp Tyr Arg Glu Asn Val Ala Glu Asp Tyr Pro Glu Leu
 545 550 555

15 cgc gac gcc atc tcc gag ctt ttg cag cgg gag gcg gcc ctc cag gag 1731
 Arg Asp Ala Ile Ser Glu Leu Leu Gln Arg Glu Ala Gly Leu Gln Glu
 560 565 570

20 atc gtc cag ctc gtg ggg ccg gac gcc ctc cag gac gcc gag cgc ctc 1779
 Ile Val Gln Leu Val Gly Pro Asp Ala Leu Gln Asp Ala Glu Arg Leu
 575 580 585

25 gtc att gag gtg ggc cgg atc atc cgc gag gac ttc ctg cag cag aac 1827
 Val Ile Glu Val Gly Arg Ile Ile Arg Glu Asp Phe Leu Gln Gln Asn
 590 595 600

30 gcc tac cac gag gtg gac gcc tac tgc tcc atg aag aag gcc tac ggg 1875
 Ala Tyr His Glu Val Asp Ala Tyr Cys Ser Met Lys Lys Ala Tyr Gly
 605 610 615 620

35 atc atg aag atg atc ctc gcc ttc tac aag gag gcg gag gcg gcc atc 1923
 Ile Met Lys Met Ile Leu Ala Phe Tyr Lys Glu Ala Glu Ala Ala Ile
 625 630 635

40 aag cgg ggg gtt tcc ata gac gag atc ctg cag ctc ccc gtt ctg gag 1971
 Lys Arg Gly Val Ser Ile Asp Glu Ile Leu Gln Leu Pro Val Leu Glu
 640 645 650

45 cgc atc gcc cgc gcc cgc tac gtg agc gag gag gag ttc ccc gcc tac 2019
 Arg Ile Gly Arg Ala Arg Tyr Val Ser Glu Glu Glu Phe Pro Ala Tyr
 655 660 665

50 ttt gag gag gcc atg aag gag atc cag ggg gcc ttc aag gcc ctg gcc 2067
 Phe Glu Glu Ala Met Lys Glu Ile Gln Gly Ala Phe Lys Ala Leu Ala
 670 675 680

55 taaaggggga gag atg gac ctt ctg aag aag gag tac acg gcc atc acc 2116
 Met Asp Leu Leu Lys Lys Glu Tyr Thr Gly Ile Thr
 685 690 695

5 tac atc tcg ggg cct ctt ctc ttc gtg gag aac gcc aag gac ctg gcc 2164
 Tyr Ile Ser Gly Pro Leu Leu Phe Val Glu Asn Ala Lys Asp Leu Ala
 700 705 710

10 tac ggg gcc atc gtg gac atc aag gac ggc acg ggc cgg gtc cgc ggc 2212
 Tyr Gly Ala Ile Val Asp Ile Lys Asp Gly Thr Gly Arg Val Arg Gly
 715 720 725

15 ggc cag gtg att gag gtc tcc gag gag tac gcc gtc atc cag gtg ttt 2260
 Gly Gln Val Ile Glu Val Ser Glu Glu Tyr Ala Val Ile Gln Val Phe
 730 735 740

20 gag gaa acc act ggg ctg gac ctg gcc acg acc agc gtg agc ctg gtg 2308
 Glu Glu Thr Thr Gly Leu Asp Leu Ala Thr Thr Ser Val Ser Leu Val
 745 750 755 760

25 gag gac gtg gcc cgg ctt ggg gtc tcc aag gag atg ctg ggc cgc cgc 2356
 Glu Asp Val Ala Arg Leu Gly Val Ser Lys Glu Met Leu Gly Arg Arg
 765 770 775

30 ttc aac ggc atc ggc aag ccc ata gac ggc ctg ccg ccc atc acc ccg 2404
 Phe Asn Gly Ile Gly Lys Pro Ile Asp Gly Leu Pro Pro Ile Thr Pro
 780 785 790

35 gag aag cgg ctg ccc atc acc ggc ctt ccc tta aac ccc gtg gcc cgg 2452
 Glu Lys Arg Leu Pro Ile Thr Gly Leu Pro Leu Asn Pro Val Ala Arg
 795 800 805

40 agg aag ccg gag cag ttc atc cag acg ggc atc tcc acc att gac gtg 2500
 Arg Lys Pro Glu Gln Phe Ile Gln Thr Gly Ile Ser Thr Ile Asp Val
 810 815 820

45 atg aac acc ctg gtc cgg ggg cag aag ctt ccc atc ttc tcc ggc tcg 2548
 Met Asn Thr Leu Val Arg Gly Gln Lys Leu Pro Ile Phe Ser Gly Ser
 825 830 835 840

50 ggg ctt ccc gcc aac gag atc gcc gcc cag atc gcc cgc cag gcc acg 2596
 Gly Leu Pro Ala Asn Glu Ile Ala Ala Gln Ile Ala Arg Gln Ala Thr
 845 850 855

55 gtg cgc ccc gac ctg tcc ggg gag ggg gag aag gag gag ccc ttc gcc 2644
 Val Arg Pro Asp Leu Ser Gly Glu Gly Glu Lys Glu Glu Pro Phe Ala

EP 1 566 435 A1

	860	865	870	
5	gtg gtc ttc gcc gcc atg ggg atc acg cag cgg gag ctc tcc tac ttc			2692
	Val Val Phe Ala Ala Met Gly Ile Thr Gln Arg Glu Leu Ser Tyr Phe			
	875	880	885	
10	atc cag gag ttt gag cgc acc ggg gcc ctg agc cgc tcc gtc ctc ttc			2740
	Ile Gln Glu Phe Glu Arg Thr Gly Ala Leu Ser Arg Ser Val Leu Phe			
	890	895	900	
15	ctg aac aag gcg gac gac ccc acc att gag cgc atc ctc acc ccc cgc			2788
	Leu Asn Lys Ala Asp Asp Pro Thr Ile Glu Arg Ile Leu Thr Pro Arg			
	905	910	915	920
20	atg gcc ctc acc gtg gcc gag tac ctg gcc ttt gag cac gac tac cac			2836
	Met Ala Leu Thr Val Ala Glu Tyr Leu Ala Phe Glu His Asp Tyr His			
	925	930	935	
25	gtc ctc gtc atc ctc acg gac atg acc aac tac tgc gag gcc ttg cgg			2884
	Val Leu Val Ile Leu Thr Asp Met Thr Asn Tyr Cys Glu Ala Leu Arg			
	940	945	950	
30	gag atc ggg gcc gcc cgc gag gag atc ccg ggc cgc cgc ggt tac ccc			2932
	Glu Ile Gly Ala Ala Arg Glu Glu Ile Pro Gly Arg Arg Gly Tyr Pro			
	955	960	965	
35	ggc tac atg tac acc gac ctg gcc acc atc tac gag cgc gcc ggg gtg			2980
	Gly Tyr Met Tyr Thr Asp Leu Ala Thr Ile Tyr Glu Arg Ala Gly Val			
	970	975	980	
40	gtg gag ggg aag aag ggg agc gtg acc cag atc ccc atc ctc tcc atg			3028
	Val Glu Gly Lys Lys Gly Ser Val Thr Gln Ile Pro Ile Leu Ser Met			
	985	990	995	1000
45	ccc gac gac gac cgc acc cac ccc atc ccc gac ctc acg ggc tac atc			3076
	Pro Asp Asp Asp Arg Thr His Pro Ile Pro Asp Leu Thr Gly Tyr Ile			
	1005	1010	1015	
50	acc gag ggg cag atc cag ctc tcc cgg gag ctc cac cgc aag ggc atc			3124
	Thr Glu Gly Gln Ile Gln Leu Ser Arg Glu Leu His Arg Lys Gly Ile			
	1020	1025	1030	
55	tac ccg ccc att gac ccc ttg ccc tcc ctc tcc cgg ctc atg aac aac			3172

Tyr Pro Pro Ile Asp Pro Leu Pro Ser Leu Ser Arg Leu Met Asn Asn
 5 1035 1040 1045

ggc gtg ggc aag ggc aag acc cgg gag gac cac aag cag gtc tcc gac 3220
 Gly Val Gly Lys Gly Lys Thr Arg Glu Asp His Lys Gln Val Ser Asp
 10 1050 1055 1060

cag ctc tac tcc gcc tac gcc aac ggg gtg gac atc cgg aag ctc gtg 3268
 Gln Leu Tyr Ser Ala Tyr Ala Asn Gly Val Asp Ile Arg Lys Leu Val
 15 1065 1070 1075 1080

gcc atc atc ggc gag gac gcc ctc acg gag aac gac cgc cgt tac ctc 3316
 Ala Ile Ile Gly Glu Asp Ala Leu Thr Glu Asn Asp Arg Arg Tyr Leu
 20 1085 1090 1095

cag ttc gcc gac gcc ttt gaa cgg ttc ttc atc aac cag ggg cag cag 3364
 Gln Phe Ala Asp Ala Phe Glu Arg Phe Phe Ile Asn Gln Gly Gln Gln
 25 1100 1105 1110

aac cgc tcc att gag gag agc ctg cag atc gcc tgg gcc ctc ctc tcc 3412
 Asn Arg Ser Ile Glu Glu Ser Leu Gln Ile Ala Trp Ala Leu Leu Ser
 30 1115 1120 1125

atg ctg ccc cag ggc gag ctc aag cgc atc tcc aag gac cac atc ggc 3460
 Met Leu Pro Gln Gly Glu Leu Lys Arg Ile Ser Lys Asp His Ile Gly
 35 1130 1135 1140

aag tac tac ggc cag aag ctg gag gag atc tgg ggc gcg ccc cag gcc 3508
 Lys Tyr Tyr Gly Gln Lys Leu Glu Glu Ile Trp Gly Ala Pro Gln Ala
 40 1145 1150 1155 1160

ctg gac taagggaggg tag atg agc cag gtg agc ccc acc cgg atg aac 3557
 Leu Asp Met Ser Gln Val Ser Pro Thr Arg Met Asn
 45 1165 1170

ctt ctg cag agg cgg ggg cag ctc cgc ctg gcg cag aag ggg gtg gac 3605
 Leu Leu Gln Arg Arg Gly Gln Leu Arg Leu Ala Gln Lys Gly Val Asp
 50 1175 1180 1185

ctc ctc aag aag aag cgg gac gcc ctg gtg gcc gag ttc ttc ggc ctg 3653
 Leu Leu Lys Lys Lys Arg Asp Ala Leu Val Ala Glu Phe Phe Gly Leu
 55 1190 1195 1200

5	gtg cgg gag gcc atg gag gcc agg aag gcc ctg gac cag gcg gcc aag Val Arg Glu Ala Met Glu Ala Arg Lys Ala Leu Asp Gln Ala Ala Lys 1205 1210 1215 1220	3701
10	gag gcc tac gcc gcc ctc ctc ctg gcc cag gcc ttt gac ggg ccg gag Glu Ala Tyr Ala Ala Leu Leu Leu Ala Gln Ala Phe Asp Gly Pro Glu 1225 1230 1235	3749
15	gtg gtg gcg ggg gcg gcc ctt ggg gtc ccg ccc ctc gag ggg gtg gag Val Val Ala Gly Ala Ala Leu Gly Val Pro Pro Leu Glu Gly Val Glu 1240 1245 1250	3797
20	gcg gag gtg gag aac gtc tgg ggg agc aag gtg ccg agg ctc aag gcc Ala Glu Val Glu Asn Val Trp Gly Ser Lys Val Pro Arg Leu Lys Ala 1255 1260 1265	3845
25	acc ttc ccc gac ggg gcc ctc ctt tcc ccg gtg ggg acc ccg gcc tac Thr Phe Pro Asp Gly Ala Leu Leu Ser Pro Val Gly Thr Pro Ala Tyr 1270 1275 1280	3893
30	acc ctc gag gcc agc cgg gcc ttc cgc cgc tac gcc gag gcc ctg atc Thr Leu Glu Ala Ser Arg Ala Phe Arg Arg Tyr Ala Glu Ala Leu Ile 1285 1290 1295 1300	3941
35	cgg gtg gcc aac acc gag acc cgc ctg aag aag atc ggg gag gag atc Arg Val Ala Asn Thr Glu Thr Arg Leu Lys Lys Ile Gly Glu Glu Ile 1305 1310 1315	3989
40	aag aag acc acg cgg cgg gtg aac gcc ctg gag cag gtg gtg atc ccg Lys Lys Thr Thr Arg Arg Val Asn Ala Leu Glu Gln Val Val Ile Pro 1320 1325 1330	4037
45	ggg atc cgc gcc cag atc cgc ttc atc cag cag gtc ctg gag cag cgg Gly Ile Arg Ala Gln Ile Arg Phe Ile Gln Gln Val Leu Glu Gln Arg 1335 1340 1345	4085
50	gaa cgg gag gac acc ttc cgc ctc aag cgc atc aag ggc aag att gag Glu Arg Glu Asp Thr Phe Arg Leu Lys Arg Ile Lys Gly Lys Ile Glu 1350 1355 1360	4133
55	gcc cgg gag gcc gag gag gag ggc ggc cgg ccc aac ccg cag gtg gag Ala Arg Glu Ala Glu Glu Glu Gly Gly Arg Pro Asn Pro Gln Val Glu 1365 1370 1375 1380	4181

5 atc ggg gcg ggc ctt taa 4199
 lle Gly Ala Gly Leu
 1385

10 <210> 2
 <211> 106
 <212> PRT
 15 <213> Thermus thermophilus

<400> 2
 Val Arg Met Ala Val Ile Ala Asp Pro Glu Thr Ala Gln Gly Phe Arg
 1 5 10 15
 20 Leu Ala Gly Leu Glu Gly Tyr Gly Ala Ser Ser Ala Glu Glu Ala Gln
 20 25 30
 Ser Leu Leu Glu Thr Leu Val Glu Arg Gly Gly Tyr Ala Leu Val Ala
 25 35 40 45
 Val Asp Glu Ala Leu Leu Pro Asp Pro Glu Arg Ala Val Glu Arg Leu
 50 55 60
 30 Met Arg Gly Arg Asp Leu Pro Val Leu Leu Pro Ile Ala Gly Leu Lys
 65 70 75 80
 Glu Ala Phe Gln Gly His Asp Val Glu Gly Tyr Met Arg Glu Leu Val
 85 90 95
 Arg Lys Thr Ile Gly Phe Asp Ile Lys Leu
 35 100 105

40 <210> 3
 <211> 578
 <212> PRT
 <213> Thermus thermophilus

45 <400> 3
 Met Ile Gln Gly Val Ile Gln Lys Ile Ala Gly Pro Ala Val Ile Ala
 1 5 10 15
 Lys Gly Met Leu Gly Ala Arg Met Tyr Asp Ile Cys Lys Val Gly Glu
 20 25 30
 50 Glu Gly Leu Val Gly Glu Ile Ile Arg Leu Asp Gly Asp Thr Ala Phe
 35 40 45
 Val Gln Val Tyr Glu Asp Thr Ser Gly Leu Lys Val Gly Glu Pro Val
 50 55 60
 55 Val Ser Thr Gly Leu Pro Leu Ala Val Glu Leu Gly Pro Gly Met Leu

	65		70		75		80												
5	Asn	Gly	Ile	Tyr	Asp	Gly	Ile	Gln	Arg	Pro	Leu	Glu	Arg	Ile	Arg	Glu			
					85					90					95				
	Lys	Thr	Gly	Ile	Tyr	Ile	Thr	Arg	Gly	Val	Val	Val	His	Ala	Leu	Asp			
					100					105					110				
10	Arg	Glu	Lys	Lys	Trp	Ala	Trp	Thr	Pro	Met	Val	Lys	Pro	Gly	Asp	Glu			
					115					120					125				
	Val	Arg	Gly	Gly	Met	Val	Leu	Gly	Thr	Val	Pro	Glu	Phe	Gly	Phe	Thr			
					130					135					140				
15	His	Lys	Ile	Leu	Val	Pro	Pro	Asp	Val	Arg	Gly	Arg	Val	Lys	Glu	Val			
	145					150					155				160				
	Lys	Pro	Ala	Gly	Glu	Tyr	Thr	Val	Glu	Glu	Pro	Val	Val	Val	Leu	Glu			
					165						170				175				
20	Asp	Gly	Thr	Glu	Leu	Lys	Met	Tyr	His	Thr	Trp	Pro	Val	Arg	Arg	Ala			
					180						185				190				
	Arg	Pro	Val	Gln	Arg	Lys	Leu	Asp	Pro	Asn	Thr	Pro	Phe	Leu	Thr	Gly			
					195					200					205				
25	Met	Arg	Ile	Leu	Asp	Val	Leu	Phe	Pro	Val	Ala	Met	Gly	Gly	Thr	Ala			
					210					215					220				
	Ala	Ile	Pro	Gly	Pro	Phe	Gly	Ser	Gly	Lys	Thr	Val	Thr	Gln	Gln	Ser			
	225					230					235				240				
30	Leu	Ala	Lys	Trp	Ser	Asn	Ala	Asp	Val	Val	Val	Tyr	Val	Gly	Cys	Gly			
					245						250				255				
	Glu	Arg	Gly	Asn	Glu	Met	Thr	Asp	Val	Leu	Val	Glu	Phe	Pro	Glu	Leu			
					260						265				270				
35	Thr	Asp	Pro	Lys	Thr	Gly	Gly	Pro	Leu	Met	His	Arg	Thr	Val	Leu	Ile			
					275					280					285				
	Ala	Asn	Thr	Ser	Asn	Met	Pro	Val	Ala	Ala	Arg	Glu	Ala	Ser	Ile	Tyr			
					290					295					300				
40	Val	Gly	Val	Thr	Ile	Ala	Glu	Tyr	Phe	Arg	Asp	Gln	Gly	Phe	Ser	Val			
					305						310				315				
	Ala	Leu	Met	Ala	Asp	Ser	Thr	Ser	Arg	Trp	Ala	Glu	Ala	Leu	Arg	Glu			
					325						330				335				
45	Ile	Ser	Ser	Arg	Leu	Glu	Glu	Met	Pro	Ala	Glu	Glu	Gly	Tyr	Pro	Pro			
					340						345				350				
	Tyr	Leu	Ala	Ala	Arg	Leu	Ala	Ala	Phe	Tyr	Glu	Arg	Ala	Gly	Lys	Val			
					355					360					365				
50	Ile	Thr	Leu	Gly	Gly	Glu	Glu	Gly	Ala	Val	Thr	Ile	Val	Gly	Ala	Val			
					370						375				380				
	Ser	Pro	Pro	Gly	Gly	Asp	Met	Ser	Glu	Pro	Val	Thr	Gln	Ser	Thr	Leu			
					385						390				395				400
55	Arg	Ile	Val	Gly	Ala	Phe	Trp	Arg	Leu	Asp	Ala	Ser	Leu	Ala	Phe	Arg			
					405						410				415				

5 Arg His Phe Pro Ala Ile Asn Trp Asn Gly Ser Tyr Ser Leu Phe Thr
 420 425 430
 Ser Ala Leu Asp Pro Trp Tyr Arg Glu Asn Val Ala Glu Asp Tyr Pro
 435 440 445
 10 Glu Leu Arg Asp Ala Ile Ser Glu Leu Leu Gln Arg Glu Ala Gly Leu
 450 455 460
 Gln Glu Ile Val Gln Leu Val Gly Pro Asp Ala Leu Gln Asp Ala Glu
 465 470 475 480
 Arg Leu Val Ile Glu Val Gly Arg Ile Ile Arg Glu Asp Phe Leu Gln
 15 485 490 495
 Gln Asn Ala Tyr His Glu Val Asp Ala Tyr Cys Ser Met Lys Lys Ala
 500 505 510
 Tyr Gly Ile Met Lys Met Ile Leu Ala Phe Tyr Lys Glu Ala Glu Ala
 20 515 520 525
 Ala Ile Lys Arg Gly Val Ser Ile Asp Glu Ile Leu Gln Leu Pro Val
 530 535 540
 25 Leu Glu Arg Ile Gly Arg Ala Arg Tyr Val Ser Glu Glu Glu Phe Pro
 545 550 555 560
 Ala Tyr Phe Glu Glu Ala Met Lys Glu Ile Gln Gly Ala Phe Lys Ala
 565 570 575
 Leu Ala

30

<210> 4

<211> 478

<212> PRT

35

<213> Thermus thermophilus

<400> 4

40

Met Asp Leu Leu Lys Lys Glu Tyr Thr Gly Ile Thr Tyr Ile Ser Gly
 1 5 10 15
 Pro Leu Leu Phe Val Glu Asn Ala Lys Asp Leu Ala Tyr Gly Ala Ile
 20 25 30
 45 Val Asp Ile Lys Asp Gly Thr Gly Arg Val Arg Gly Gly Gln Val Ile
 35 40 45
 Glu Val Ser Glu Glu Tyr Ala Val Ile Gln Val Phe Glu Glu Thr Thr
 50 55 60
 50 Gly Leu Asp Leu Ala Thr Thr Ser Val Ser Leu Val Glu Asp Val Ala
 65 70 75 80
 Arg Leu Gly Val Ser Lys Glu Met Leu Gly Arg Arg Phe Asn Gly Ile
 85 90 95
 55 Gly Lys Pro Ile Asp Gly Leu Pro Pro Ile Thr Pro Glu Lys Arg Leu
 100 105 110

5 Pro Ile Thr Gly Leu Pro Leu Asn Pro Val Ala Arg Arg Lys Pro Glu
 115 120 125
 Gln Phe Ile Gln Thr Gly Ile Ser Thr Ile Asp Val Met Asn Thr Leu
 130 135 140
 10 Val Arg Gly Gln Lys Leu Pro Ile Phe Ser Gly Ser Gly Leu Pro Ala
 145 150 155 160
 Asn Glu Ile Ala Ala Gln Ile Ala Arg Gln Ala Thr Val Arg Pro Asp
 165 170 175
 15 Leu Ser Gly Glu Gly Glu Lys Glu Glu Pro Phe Ala Val Val Phe Ala
 180 185 190
 Ala Met Gly Ile Thr Gln Arg Glu Leu Ser Tyr Phe Ile Gln Glu Phe
 195 200 205
 20 Glu Arg Thr Gly Ala Leu Ser Arg Ser Val Leu Phe Leu Asn Lys Ala
 210 215 220
 Asp Asp Pro Thr Ile Glu Arg Ile Leu Thr Pro Arg Met Ala Leu Thr
 225 230 235 240
 25 Val Ala Glu Tyr Leu Ala Phe Glu His Asp Tyr His Val Leu Val Ile
 245 250 255
 Leu Thr Asp Met Thr Asn Tyr Cys Glu Ala Leu Arg Glu Ile Gly Ala
 260 265 270
 30 Ala Arg Glu Glu Ile Pro Gly Arg Arg Gly Tyr Pro Gly Tyr Met Tyr
 275 280 285
 Thr Asp Leu Ala Thr Ile Tyr Glu Arg Ala Gly Val Val Glu Gly Lys
 290 295 300
 35 Lys Gly Ser Val Thr Gln Ile Pro Ile Leu Ser Met Pro Asp Asp Asp
 305 310 315 320
 Arg Thr His Pro Ile Pro Asp Leu Thr Gly Tyr Ile Thr Glu Gly Gln
 325 330 335
 40 Ile Gln Leu Ser Arg Glu Leu His Arg Lys Gly Ile Tyr Pro Pro Ile
 340 345 350
 Asp Pro Leu Pro Ser Leu Ser Arg Leu Met Asn Asn Gly Val Gly Lys
 355 360 365
 45 Gly Lys Thr Arg Glu Asp His Lys Gln Val Ser Asp Gln Leu Tyr Ser
 370 375 380
 Ala Tyr Ala Asn Gly Val Asp Ile Arg Lys Leu Val Ala Ile Ile Gly
 385 390 395 400
 Glu Asp Ala Leu Thr Glu Asn Asp Arg Arg Tyr Leu Gln Phe Ala Asp
 405 410 415
 50 Ala Phe Glu Arg Phe Phe Ile Asn Gln Gly Gln Gln Asn Arg Ser Ile
 420 425 430
 Glu Glu Ser Leu Gln Ile Ala Trp Ala Leu Leu Ser Met Leu Pro Gln
 435 440 445
 55 Gly Glu Leu Lys Arg Ile Ser Lys Asp His Ile Gly Lys Tyr Tyr Gly

5 450 455 460
 Gln Lys Leu Glu Glu Ile Trp Gly Ala Pro Gln Ala Leu Asp
 465 470 475

10 <210> 5
 <211> 223
 <212> PRT
 <213> *Thermus thermophilus*

15 <400> 5
 Met Ser Gln Val Ser Pro Thr Arg Met Asn Leu Leu Gln Arg Arg Gly
 1 5 10 15
 20 Gln Leu Arg Leu Ala Gln Lys Gly Val Asp Leu Leu Lys Lys Lys Arg
 20 25 30
 Asp Ala Leu Val Ala Glu Phe Phe Gly Leu Val Arg Glu Ala Met Glu
 35 40 45
 25 Ala Arg Lys Ala Leu Asp Gln Ala Ala Lys Glu Ala Tyr Ala Ala Leu
 50 55 60
 Leu Leu Ala Gln Ala Phe Asp Gly Pro Glu Val Val Ala Gly Ala Ala
 65 70 75 80
 30 Leu Gly Val Pro Pro Leu Glu Gly Val Glu Ala Glu Val Glu Asn Val
 85 90 95
 Trp Gly Ser Lys Val Pro Arg Leu Lys Ala Thr Phe Pro Asp Gly Ala
 100 105 110
 35 Leu Leu Ser Pro Val Gly Thr Pro Ala Tyr Thr Leu Glu Ala Ser Arg
 115 120 125
 Ala Phe Arg Arg Tyr Ala Glu Ala Leu Ile Arg Val Ala Asn Thr Glu
 130 135 140
 40 Thr Arg Leu Lys Lys Ile Gly Glu Glu Ile Lys Lys Thr Thr Arg Arg
 145 150 155 160
 Val Asn Ala Leu Glu Gln Val Val Ile Pro Gly Ile Arg Ala Gln Ile
 165 170 175
 45 Arg Phe Ile Gln Gln Val Leu Glu Gln Arg Glu Arg Glu Asp Thr Phe
 180 185 190
 Arg Leu Lys Arg Ile Lys Gly Lys Ile Glu Ala Arg Glu Ala Glu Glu
 195 200 205
 50 Glu Gly Gly Arg Pro Asn Pro Gln Val Glu Ile Gly Ala Gly Leu
 210 215 220

55

Claims

- 5
1. A rotary motor molecule V_1 -ATPase rotating in the presence of ATP, which is a complex molecule having three A subunits, three B subunits and one D subunit constituting the V_1 portion of a V_0V_1 -ATPase.
 2. The rotary motor molecule V_1 -ATPase of claim 1, which has heat resistance.
 3. The rotary motor molecule V_1 -ATPase of claim 2, which is derived from a thermophile bacteria, *Thermus thermophilus*.
 - 10
 4. The rotary motor molecule V_1 -ATPase of claim 3, which is a complex molecule having three peptides of SEQ ID NO:3 corresponding to the A subunit, three peptides of SEQ ID NO:4 corresponding to the B subunit, and one peptide of SEQ ID NO:5 corresponding to the D subunit.
 - 15
 5. The rotary motor molecule V_1 -ATPase of claim 4, which has at least one substitution of Ala residue for the 232nd Ser residue and Ser residue for the 235th Thr residue in SEQ ID NO:3.
 6. The rotary motor molecule V_1 -ATPase of any one of claims 1 to 5, wherein at least one of the A subunit and the B subunit thereof is fixed on a substrate.
 - 20
 7. The rotary motor molecule V_1 -ATPase of claim 6, which is fixed on the substrate via a His tag bound to the N terminal of the A subunit.
 8. The rotary motor molecule V_1 -ATPase of any one of claims 1 to 7, to which a D subunit is bound with a joint material.
 - 25
 9. The rotary motor molecule V_1 -ATPase of claim 8, wherein the joint is bound to at least one of Cys residue substituted for the 48th Glu residue and Cys residue substituted for the 55th Gln residue in SEQ ID NO: 5.
 - 30
 10. The rotary motor molecule V_1 -ATPase of claim 9, wherein all Cys residues in the A subunit and the B subunit are replaced by non-Cys residues.
- 35
- 40
- 45
- 50
- 55

Fig.1




Fig.2




Fig.3





Fig.4



INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP03/12982

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl ⁷ C12N9/16, 15/55		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) Int.Cl ⁷ C12N9/16, 15/55		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) SwissProt/PIR/GeneSeq, GenBank/EMBL/DDBJ/GeneSeq, BIOSIS/WPI (DIALOG)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X/Y/A	YOKOYAMA, K. et al., Thermus thermophilus membrane-associated ATPase., Indication of a eubacterial V-type ATPase., J.Biol.Chem., 1990, 265(35), p.21946-50	1-4/6-10/5
X/Y/A	YOKOYAMA, K. et al., Isolation of prokaryotic V ₀ V ₁ -ATPase from a thermophilic eubacterium Thermus thermophilus., J.Biol.Chem., 1994, 269(16), p.12248-53	1-4/6-10/5
X/Y/A	YOKOYAMA, K. et al., V-ATPase of Thermus thermophilus is inactivated during ATP hydrolysis but can synthesize ATP. J.Biol.Chem., 1998, 273(32), p.20504-10	1-4/6-10/5
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family	
Date of the actual completion of the international search 08 December, 2003 (08.12.03)	Date of mailing of the international search report 24 December, 2003 (24.12.03)	
Name and mailing address of the ISA/ Japanese Patent Office	Authorized officer	
Facsimile No.	Telephone No.	

Form PCT/ISA/210 (second sheet) (July 1998)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP03/12982

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X/Y/A	YOKOYAMA, K. et al., V-Type H ⁺ -ATPase/synthase from a thermophilic eubacterium, thermus thermophilus. Subunit structure and operon., J.Biol. Chem., 2000, 275(18), p.13955-61	1-4/6-10/5
Y/A	KATO-YAMADA, Y. et al., Direct observation of the rotation of ε subunit in F ₁ -ATPase., J.Biol.Chem., 1998, 273(31), p.19375-7	6-10/1-5
Y/A	NOJI, H. et al., Direct observation of the rotation of F ₁ -ATPase., Nature, 1997, 386(6622), p.299-302	6-10/1-5
P,X	IMAMURA, H. et al., Evidence for rotation of V ₁ -ATPase. Proc. Natl. Acad. Sci. U.S.A., 2003, March, 100(5), p.2312-5	1-10
P,X	YOKOYAMA, K., Rotation of the proteolipid ring in the V-ATPase., J.Biol.Chem., 04 July, 2003 (04.07.03), 278(27), p.24255-8	1-10
A	TSUNODA, S.P. et al., Observations of rotation within the F ₀ F ₁ -ATP synthase: deciding between rotation of the F ₀ c subunit ring and artifact., FEBS Lett., 31 March, 2000 (31.03.00); 470(3): 244-8	1-10
A	MATSUI, T. et al., Catalytic activity of the α3β3γ complex of F ₁ -ATPase without noncatalytic nucleotide binding site., J.Biol.Chem., 1997, 272(13), p.8215-21	1-10
A	BALD D. et al., ATP synthesis by F ₀ F ₁ -ATP synthase independent of noncatalytic nucleotide binding sites and insensitive to azide inhibition., J. Biol.Chem., 1998, 273(2), p.865-70	1-10

Form PCT/ISA/210 (continuation of second sheet) (July 1998)